

UPXL S-A UNDERLAY

PRODUCT INFORMATION

UPXL Self-Adhesive (S-A) Underlay is a polyester reinforced, SBS modified bitumen with a fine mineral upper surface, and self-adhesive bitumen coating with a release film on the underside.

Surface	Product Code
Fine Mineral	64610003

USE

IKO UPXL Self-Adhesive (S_A) Underlay is used as for the underlay within both the **UPXL Guardian and UPXL Torch Free Roof Waterproofing System**.

The product must be applied by an IKO trained and assessed Approved Installer, working for a registered IKO Approved Contractor in the **UPXL** system. All work must be undertaken in accordance with the requirements of the specific information given with the IKO Specification document.

INDEPENDENT ACCREDITATION



0086-CPD-537586



The product carries a Declaration of Performance Certificate, and an Agreement Certificate 15/5238.

PERFORMANCE & COMPOSITION

Composition:	SBS
Form:	Roll
Colour:	Grey
General Dimension Data	
Length:	16m
Width:	1m
Mass/Weight:	2.5Kg/m ²
Roll Weight:	40Kg
Carrier:	Polyester

Performance Data

Maximum Tensile Force

(EN 12311-1):

Longitudinal	>500N/50mm
Transverse	>400N/50mm

Elongation (EN 12311-1):

Longitudinal	>25%
Transverse	>40%

Tear Resistance - Nail:

Longitudinal	>175N
Transverse	>175N

Flexibility at low temperature

(EN 1109): <-15 °C

Installation Method

Membrane Bond:	Self-adhesive
Lap Bond:	Hot Air Weld

DISCLAIMER

As this product is utilised within an Approved Contractor network and guided by an IKO Specification document, where omission or differing information exists the IKO Specification document will take precedence.

Whilst every precaution is taken to ensure that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded.

IKO reserve the right to amend and/or withdraw this document without notice. Intending purchasers of our materials should therefore verify with the company whether any changes in our specification, application details, withdrawals or otherwise have taken place since this literature was issued.