

IKO SYSTEMS S-A UNDERLAY

PRODUCT INFORMATION

IKO Systems S-A (Self-Adhesive) Underlay is a polyester fibre based bitumen membrane, coated on both sides with an SBS elastomeric coating. It has a fine mineral upper surface, and self-adhesive bitumen coating with a release film on the underside.

Surface	Product Code
Fine Mineral	62161000

USE

This product is for use as an underlay within a specification roofing system.

All work must be undertaken in accordance with the requirements of the specific information given with the IKO Specification document.

INDEPENDENT ACCREDITATION



0086-CPD-537586

The product carries a Declaration of Performance Certificate.

FEATURES & BENEFITS

Flame free application - self-adhesive bonding to primed substrate with laps secured using hot air welders

PERFORMANCE & COMPOSITION

Composition:	SBS
Form:	Roll
General Dimension Data	
Length:	16m
Width:	1m
Mass/Weight:	2.26Kg/m ²
Roll Weight:	36Kg
Carrier:	Polyester

Performance Data

Maximum Tensile Force (EN 12311-1):

Longitudinal	≥300N/50mm
Transverse	≥300N/50mm

Elongation (EN 12311-1):

Longitudinal	≥17%
Transverse	≥17%

Tear Resistance - Nail:

Longitudinal	≥100N
Transverse	≥100N

Flexibility at low temperature (EN 1109):

	≤-10 °C
--	---------

Static loading:	20Kg
------------------------	------

Installation Method

Membrane Bond:	Self-adhesive
Lap Bond:	Hot Air Weld

DISCLAIMER

As this product is utilised within an Approved Contractor network and guided by an IKO Specification document, where omission or differing information exists the IKO Specification document will take precedence.

Whilst every precaution is taken to ensure that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded.

IKO reserve the right to amend and/or withdraw this document without notice. Intending purchasers of our materials should therefore verify with the company whether any changes in our specification, application details, withdrawals or otherwise have taken place since this literature was issued.